

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	27	(photoreceiver photodetector) and bipolar and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 06:27
2	BRS	L2	573	257/184.cccls. and @ay<2002	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:00
3	BRS	L3	22	2 and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 06:59
4	BRS	L4	798	257/458.cccls. and @ay<2002	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:20
5	BRS	L5	55	4 and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:18
6	BRS	L6	403	257/462.cccls. and @ay<2002	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:27

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	6	6 and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:31
8	BRS	L8	8882	base and emitter and collector and pin	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:35
9	BRS	L9	24	8 and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:32
10	BRS	L10	448	base and emitter and collector and (pin adj diode)	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:47
11	BRS	L11	2	10 and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 07:47
12	BRS	L12	279	((heterojunction adj bipolar adj transistor) hbt) and sige	USPAT; EPO; JPO; DERWENT; IBM_TD B	2003/02/25 08:06

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	272	12 and @ay<2002	USPAT; EPO; JPO; DERWEN T; IBM_TD B	2003/02/25 08:07